

ALERT*ALERT*ALERT*ALERT

Facilities Management Outage Notification

Please Post Centrally in Your Department

Cold and Hot Domestic Water Outage

AFFECTED BLDGS:

2053 Crackerbox
0052 HOTEL F/ LEVERING HALL
2045 East Range Dorm
2038 Pavilion VIII
2030 East Lawn Dorm

Impact to Building Occupants: No cold water, No hot water, No drinking water, No flushing or shower water

East Range Dorms: Rooms 28-54 will be affected by outage.

East Lawn Dorms: Rooms 22-34, Women's Restroom below Room 26, Men's Restroom below Room 28 and Laundry below Room 30 will be affected by outage.

Hotel F/Levering Hall: Men's Restroom in Basement will also be affected.

Please Confirm you have received notification of this outage by emailing our Team at:

Ryan Taylor: RDT4C@virginia.edu

Randy Spencer: DRS2Y@virginia.edu

Jacob Campbell: JRC3ZZ@virginia.edu

Scheduled Start Date and Time:	2022-Jan-26 09:00
Scheduled End Date and Time:	2022-Jan-26 14:00
Reason for Outage:	Make final connection of new water line to existing system.
Requested By:	Keith Schrimp (UVA FM FP&C)
Outage Coordinator:	Ryan Taylor 434-981-8874 rdt4c@virginia.edu
Point of Contact for Performing Work:	Waco Inc Patrick Ramsey 5409681178 FM Responsible Person: Keith Schrimp 434-962-1960
Outage Approved By:	Ryan Taylor (UVA FM Operations)

Important Notes:

1. The specified utility or building system will be out of service as noted above. Please advise the Outage Coordinator immediately if this can not be accommodated in areas under your control or direction
2. Those performing work associated with this outage **MUST** notify the Systems Control Center (982-4685) PRIOR TO THE START and upon COMPLETION of all work

ALERT*ALERT*ALERT*ALERT

Please use the below link to unsubscribe from these notification, change, or subscribe to other building lists

<https://www.fm.virginia.edu/resources/outagesubs.html>